

Price List Addendum

EFFECTIVE May 1, 2020

Grooved IPS Pipe Accessories

Expansion Joint

STYLE 155

Refer to publication 09.05



STYLE 155 – EXPANSION JOINT

Nominal Size	Painted Couplings & Uncoated CS Pipe Sections				Approx. Wgt. Ea. lb	COUPLING COMPLETE with Grade "E" or "T" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "E" or "T" Gasket and Stainless Steel Bolts & Nuts		
	Movement					Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections	Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections
	Maximum	Compressed	Neutral	Expanded							
3/4	0.19	6.00	6.09	6.17	1.8	\$2395.50	\$2993.50	+	+	+	+
	0.38	8.25	8.43	8.61	3.2	2529.50	3160.50	+	+	+	+
	0.57	10.50	10.78	11.05	4.6	2662.50	3329.00	+	+	+	+
	0.76	12.75	13.12	13.49	6.0	2796.50	3496.50	+	+	+	+
	0.95	15.00	15.47	15.93	7.4	2930.50	3662.50	+	+	+	+
	1.14	17.25	17.81	18.37	8.8	3065.00	3830.50	+	+	+	+
	1.33	19.50	20.16	20.81	10.2	3198.50	3998.50	+	+	+	+
	1.52	21.75	22.50	23.25	11.6	3332.00	4164.50	+	+	+	+
	1.71	24.00	24.85	25.69	13.1	3371.50	4214.00	+	+	+	+
	1.90	26.25	27.19	28.13	14.5	3410.50	4263.00	+	+	+	+
1	0.19	6.00	6.09	6.17	1.8	2780.00	3475.00	+	+	+	+
	0.38	8.25	8.43	8.61	3.2	2860.00	3574.50	+	+	+	+
	0.57	10.50	10.78	11.05	4.6	2952.50	3691.00	+	+	+	+
	0.76	12.75	13.12	13.49	6.0	3049.50	3811.00	+	+	+	+
	0.95	15.00	15.47	15.93	7.4	3147.00	3932.00	+	+	+	+
	1.14	17.25	17.81	18.37	8.8	3244.50	4055.00	+	+	+	+
	1.33	19.50	20.16	20.81	10.2	3342.00	4177.50	+	+	+	+
	1.52	21.75	22.50	23.25	11.6	3441.00	4300.50	+	+	+	+
	1.71	24.00	24.85	25.69	13.1	3539.00	4424.50	+	+	+	+
	1.90	26.25	27.19	28.13	14.5	3638.50	4548.00	+	+	+	+
2.09	28.50	29.54	30.57	15.9	3737.00	4670.50	+	+	+	+	
2.28	30.75	31.88	33.01	17.3	3836.00	4794.50	+	+	+	+	

When using the hot dipped galvanized coating, the movement capacity of the Style 155 Expansion Joint is reduced to the increased coating thickness. The following reduction factors shall be applied to the "maximum linear movement" values:

- For either hot dipped galvanized couplings or pipe sections, reduce "maximum linear movement" by 20%.
- For both hot dipped galvanized couplings and pipe sections, reduce "maximum linear movement" by 40%.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Valves and Specialties

Expansion Joint

STYLE 155

Refer to publication 09.05



STYLE 155 – EXPANSION JOINT

Nominal Size	Painted Couplings & Uncoated CS Pipe Sections				Approx. Wgt. Ea. lb	COUPLING COMPLETE with Grade "E" or "T" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "E" or "T" Gasket and Stainless Steel Bolts & Nuts		
	Movement					Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections	Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections
	Maximum	Compressed	Neutral	Expanded							
1¼	inches					Price Each			Price Each		
	0.19	8.00	8.09	8.17	3.6	\$3190.50	\$3988.00	+	+	+	+
	0.38	10.25	10.43	10.61	6.1	3342.00	4177.50	+	+	+	+
	0.57	12.50	12.78	13.05	8.7	3494.50	4367.50	+	+	+	+
	0.76	14.75	15.12	15.49	11.2	3644.50	4556.50	+	+	+	+
	0.95	17.00	17.47	17.93	13.7	3797.00	4745.00	+	+	+	+
	1.14	19.25	19.81	20.37	16.2	3948.00	4936.00	+	+	+	+
	1.33	21.50	22.16	22.81	18.8	4100.00	5124.00	+	+	+	+
	1.52	23.75	24.50	25.25	21.3	4251.00	5312.50	+	+	+	+
	1.71	26.00	26.85	27.69	23.8	4403.00	5504.00	+	+	+	+
	1.90	28.25	29.19	30.13	26.3	4554.00	5692.50	+	+	+	+
2.09	30.50	31.54	32.57	28.9	4705.50	5881.00	+	+	+	+	
2.28	32.75	33.88	35.01	31.4	4856.50	6070.50	+	+	+	+	
1½	0.19	8.00	8.09	8.17	4.1	3209.00	4011.00	+	+	+	+
	0.38	10.25	10.43	10.61	6.9	3420.00	4274.00	+	+	+	+
	0.57	12.50	12.78	13.05	9.7	3630.50	4538.50	+	+	+	+
	0.76	14.75	15.12	15.49	12.5	3841.50	4802.00	+	+	+	+
	0.95	17.00	17.47	17.93	15.4	4053.00	5065.50	+	+	+	+
	1.14	19.25	19.81	20.37	18.2	4263.50	5329.00	+	+	+	+
	1.33	21.50	22.16	22.81	21.0	4474.50	5591.50	+	+	+	+
	1.52	23.75	24.50	25.25	23.8	4684.50	5857.00	+	+	+	+
	1.71	26.00	26.85	27.69	26.6	4896.50	6121.00	+	+	+	+
	1.90	28.25	29.19	30.13	29.4	5108.00	6383.50	+	+	+	+
	2.09	30.50	31.54	32.57	32.2	5318.00	6648.00	+	+	+	+
2.28	32.75	33.88	35.01	35.0	5529.00	6911.50	+	+	+	+	
2	0.19	8.00	8.09	8.17	4.0	3253.00	4066.00	+	+	+	+
	0.38	10.25	10.43	10.61	6.3	3414.00	4268.50	+	+	+	+
	0.57	12.50	12.78	13.05	8.6	3574.50	4468.50	+	+	+	+
	0.76	14.75	15.12	15.49	10.9	3736.00	4669.00	+	+	+	+
	0.95	17.00	17.47	17.93	13.2	3896.50	4870.00	+	+	+	+
	1.14	19.25	19.81	20.37	15.5	4056.50	5071.50	+	+	+	+
	1.33	21.50	22.16	22.81	17.7	4217.50	5272.50	+	+	+	+
	1.52	23.75	24.50	25.25	20.0	4379.50	5473.50	+	+	+	+
	1.71	26.00	26.85	27.69	22.3	4541.00	5674.50	+	+	+	+
	1.90	28.25	29.19	30.13	24.6	4701.50	5876.00	+	+	+	+
	2.09	30.50	31.54	32.57	26.9	4861.00	6076.50	+	+	+	+
2.28	32.75	33.88	35.01	29.2	5023.00	6278.00	+	+	+	+	

When using the hot dipped galvanized coating, the movement capacity of the Style 155 Expansion Joint is reduced to the increased coating thickness. The following reduction factors shall be applied to the "maximum linear movement" values:
 - For either hot dipped galvanized couplings or pipe sections, reduce "maximum linear movement" by 20%.
 - For both hot dipped galvanized couplings and pipe sections, reduce "maximum linear movement" by 40%.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Valves and Specialties

Expansion Joint

STYLE 155

Refer to publication 09.05



STYLE 155 – EXPANSION JOINT

Nominal Size	Painted Couplings & Uncoated CS Pipe Sections				Approx. Wgt. Ea. lb	COUPLING COMPLETE with Grade "E" or "T" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "E" or "T" Gasket and Stainless Steel Bolts & Nuts		
	Movement					Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections	Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections
	Maximum	Compressed	Neutral	Expanded							
inches					Price Each			Price Each			
2½	0.19	8.00	8.09	8.17	5.9	\$3332.00	\$4164.50	+	+	+	+
	0.38	10.25	10.43	10.61	8.9	3513.00	4391.00	+	+	+	+
	0.57	12.50	12.78	13.05	12.0	3693.50	4616.50	+	+	+	+
	0.76	14.75	15.12	15.49	15.1	3876.00	4842.50	+	+	+	+
	0.95	17.00	17.47	17.93	18.2	4055.00	5068.00	+	+	+	+
	1.14	19.25	19.81	20.37	21.3	4235.50	5295.00	+	+	+	+
	1.33	21.50	22.16	22.81	24.4	4417.00	5520.50	+	+	+	+
	1.52	23.75	24.50	25.25	27.5	4597.50	5747.00	+	+	+	+
	1.71	26.00	26.85	27.69	30.5	4777.50	5971.50	+	+	+	+
	1.90	28.25	29.19	30.13	33.6	4960.00	6198.50	+	+	+	+
3	0.19	8.00	8.09	8.17	7.6	3427.50	4283.00	+	+	+	+
	0.38	10.25	10.43	10.61	11.5	3655.50	4568.50	+	+	+	+
	0.57	12.50	12.78	13.05	15.4	3883.50	4854.50	+	+	+	+
	0.76	14.75	15.12	15.49	19.3	4112.00	5139.50	+	+	+	+
	0.95	17.00	17.47	17.93	23.2	4340.00	5425.50	+	+	+	+
	1.14	19.25	19.81	20.37	27.2	4569.00	5711.00	+	+	+	+
	1.33	21.50	22.16	22.81	31.1	4797.00	5996.50	+	+	+	+
	1.52	23.75	24.50	25.25	35.0	5025.00	6280.50	+	+	+	+
	1.71	26.00	26.85	27.69	38.9	5254.00	6567.50	+	+	+	+
	1.90	28.25	29.19	30.13	42.8	5482.50	6853.50	+	+	+	+
4	0.25	11.97	12.10	12.22	3.5	3869.00	4835.50	+	+	+	+
	0.50	14.35	14.60	14.85	7.0	4138.50	5172.00	+	+	+	+
	0.75	16.73	17.11	17.48	10.5	4407.00	5509.00	+	+	+	+
	1.00	19.11	19.61	20.11	14.0	4675.50	5845.00	+	+	+	+
	1.25	21.49	22.12	22.74	17.5	4945.00	6180.50	+	+	+	+
	1.50	23.87	24.62	25.37	21.0	5214.00	6517.50	+	+	+	+
	1.75	26.25	27.13	28.00	24.5	5482.00	6853.00	+	+	+	+
	2.00	28.63	29.63	30.63	28.0	5751.00	7187.00	+	+	+	+
	2.25	31.01	32.14	33.26	31.5	6020.00	7524.00	+	+	+	+
	2.50	33.39	34.64	35.89	35.0	6288.00	7860.50	+	+	+	+
2.75	35.77	37.15	38.52	38.5	6557.00	8197.50	+	+	+	+	
3.00	38.15	39.65	41.15	42.0	6826.50	8531.50	+	+	+	+	

When using the hot dipped galvanized coating, the movement capacity of the Style 155 Expansion Joint is reduced to the increased coating thickness. The following reduction factors shall be applied to the "maximum linear movement" values:

- For either hot dipped galvanized couplings or pipe sections, reduce "maximum linear movement" by 20%.
- For both hot dipped galvanized couplings and pipe sections, reduce "maximum linear movement" by 40%.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Valves and Specialties

Expansion Joint

STYLE 155

Refer to publication 09.05



STYLE 155 – EXPANSION JOINT

Nominal Size	Painted Couplings & Uncoated CS Pipe Sections				Approx. Wgt. Ea. lb	COUPLING COMPLETE with Grade "E" or "T" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "E" or "T" Gasket and Stainless Steel Bolts & Nuts		
	Movement					Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections	Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections
	Maximum	Compressed	Neutral	Expanded							
inches					Price Each			Price Each			
5	0.25	11.97	12.10	12.22	5.5	\$4407.50	\$5509.50	+	+	+	+
	0.50	14.35	14.60	14.85	11.0	4744.50	5930.50	+	+	+	+
	0.75	16.73	17.11	17.48	16.5	5082.00	6352.50	+	+	+	+
	1.00	19.11	19.61	20.11	22.0	5419.50	6775.00	+	+	+	+
	1.25	21.49	22.12	22.74	27.5	5757.00	7195.50	+	+	+	+
	1.50	23.87	24.62	25.37	33.0	6094.50	7618.00	+	+	+	+
	1.75	26.25	27.13	28.00	38.5	6432.00	8041.50	+	+	+	+
	2.00	28.63	29.63	30.63	44.0	6769.00	8462.50	+	+	+	+
	2.25	31.01	32.14	33.26	49.5	7106.50	8883.50	+	+	+	+
	2.50	33.39	34.64	35.89	55.0	7445.50	9306.50	+	+	+	+
	2.75	35.77	37.15	38.52	60.5	7782.50	9727.50	+	+	+	+
3.00	38.15	39.65	41.15	66.0	8120.50	10150.50	+	+	+	+	
6	0.25	11.97	12.10	12.22	6.7	5291.00	6613.50	+	+	+	+
	0.50	14.35	14.60	14.85	13.4	5679.00	7097.00	+	+	+	+
	0.75	16.73	17.11	17.48	20.1	6063.50	7579.00	+	+	+	+
	1.00	19.11	19.61	20.11	26.8	6450.00	8061.50	+	+	+	+
	1.25	21.49	22.12	22.74	33.5	6836.50	8545.50	+	+	+	+
	1.50	23.87	24.62	25.37	40.2	7222.50	9028.50	+	+	+	+
	1.75	26.25	27.13	28.00	46.9	7610.00	9510.50	+	+	+	+
	2.00	28.63	29.63	30.63	53.6	7995.00	9993.50	+	+	+	+
	2.25	31.01	32.14	33.26	60.3	8381.00	10476.50	+	+	+	+
	2.50	33.39	34.64	35.89	67.0	8768.00	10958.50	+	+	+	+
	2.75	35.77	37.15	38.52	73.7	9153.50	11441.00	+	+	+	+
3.00	38.15	39.65	41.15	80.4	9539.50	11925.50	+	+	+	+	
8	0.25	12.00	12.13	12.25	12.5	6428.00	8034.50	+	+	+	+
	0.50	14.75	15.00	15.25	25.0	7024.50	8780.50	+	+	+	+
	0.75	17.50	17.88	18.25	37.5	7622.50	9526.00	+	+	+	+
	1.00	20.25	20.75	21.25	50.0	8217.50	10273.00	+	+	+	+
	1.25	23.00	23.63	24.25	62.5	8813.50	11017.50	+	+	+	+
	1.50	25.75	26.50	27.25	75.0	9411.00	11762.50	+	+	+	+
	1.75	28.50	29.38	30.25	87.5	10007.00	12510.00	+	+	+	+
	2.00	31.25	32.25	33.25	100.0	10602.50	13254.50	+	+	+	+
	2.25	34.00	35.13	36.25	112.5	11199.00	13999.50	+	+	+	+
	2.50	36.75	38.00	39.25	125.0	11796.50	14745.00	+	+	+	+
	2.75	39.50	40.88	42.25	137.5	12394.00	15491.50	+	+	+	+
3.00	42.25	43.75	45.25	150.0	12988.50	16235.50	+	+	+	+	

When using the hot dipped galvanized coating, the movement capacity of the Style 155 Expansion Joint is reduced to the increased coating thickness. The following reduction factors shall be applied to the "maximum linear movement" values:
 - For either hot dipped galvanized couplings or pipe sections, reduce "maximum linear movement" by 20%.
 - For both hot dipped galvanized couplings and pipe sections, reduce "maximum linear movement" by 40%.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Valves and Specialties

Expansion Joint

STYLE 155

Refer to publication 09.05



STYLE 155 – EXPANSION JOINT

Nominal Size	Painted Couplings & Uncoated CS Pipe Sections				Approx. Wgt. Ea. lb	COUPLING COMPLETE with Grade "E" or "T" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "E" or "T" Gasket and Stainless Steel Bolts & Nuts		
	Movement					Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections	Painted Couplings and Uncoated CS Pipe Sections	Galvanized Couplings and Galvanized CS Pipe Sections	Galvanized Couplings or Galvanized CS Pipe Sections
	Maximum	Compressed	Neutral	Expanded							
10	inches					Price Each			Price Each		
	0.25	16.00	16.13	16.25	82.3	\$7507.50	\$9383.00	+	+	+	+
	0.50	18.75	19.00	19.25	119.9	8481.00	10601.50	+	+	+	+
	0.75	21.50	21.88	22.25	157.4	9454.50	11820.00	+	+	+	+
	1.00	24.25	24.75	25.25	195.0	10429.50	13037.00	+	+	+	+
	1.25	27.00	27.63	28.25	232.6	11403.50	14255.00	+	+	+	+
	1.50	29.75	30.50	31.25	270.2	12379.00	15472.50	+	+	+	+
	1.75	32.50	33.38	34.25	307.8	13352.00	16691.50	+	+	+	+
	2.00	35.25	36.25	37.25	345.3	14326.50	17908.50	+	+	+	+
	2.25	38.00	39.13	40.25	382.9	15301.50	19126.50	+	+	+	+
	2.50	40.75	42.00	43.25	420.5	16275.50	20344.00	+	+	+	+
2.75	43.50	44.88	46.25	458.1	17250.00	21561.00	+	+	+	+	
3.00	46.25	47.75	49.25	495.7	18223.50	22778.00	+	+	+	+	
12	0.25	16.00	16.13	16.25	100.3	8155.50	10193.50	+	+	+	+
	0.50	18.75	19.00	19.25	145.8	9304.50	11630.50	+	+	+	+
	0.75	21.50	21.88	22.25	191.4	10453.00	13067.00	+	+	+	+
	1.00	24.25	24.75	25.25	237.0	11603.00	14503.00	+	+	+	+
	1.25	27.00	27.63	28.25	282.5	12752.50	15940.00	+	+	+	+
	1.50	29.75	30.50	31.25	328.1	13901.00	17375.50	+	+	+	+
	1.75	32.50	33.38	34.25	373.6	15050.50	18812.50	+	+	+	+
	2.00	35.25	36.25	37.25	419.2	16199.00	20250.00	+	+	+	+
	2.25	38.00	39.13	40.25	464.8	17348.50	21685.00	+	+	+	+
	2.50	40.75	42.00	43.25	510.3	18498.00	23122.50	+	+	+	+
	2.75	43.50	44.88	46.25	555.9	19646.50	24557.50	+	+	+	+
3.00	46.25	47.75	49.25	601.4	20795.50	25995.50	+	+	+	+	

When using the hot dipped galvanized coating, the movement capacity of the Style 155 Expansion Joint is reduced to the increased coating thickness. The following reduction factors shall be applied to the "maximum linear movement" values:

- For either hot dipped galvanized couplings or pipe sections, reduce "maximum linear movement" by 20%.
- For both hot dipped galvanized couplings and pipe sections, reduce "maximum linear movement" by 40%.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Style 155 Expansion Joint Configurator
Painted Couplings and Uncoated Carbon Steel Pipe Sections

C A A N 155 P E Z

Class	Size in/mm	Movement	Length	Style	Finish	Gasket	Bolts and Nuts
C	A - ¾/20 B - 1/25 C - 1¼/32 D - 1½/40 E - 2/50 F - 2½/65 G - 76.1 mm H - 3/80 I - 3½/90 J - 4/100 K - 5/125 L - 139.7 mm M - 6/150 N - 165.1 mm O - 8/200 P - 10/250 Q - 12/300	A - 0.19 B - 0.25 C - 0.38 D - 0.50 E - 0.57 F - 0.75 G - 0.76 H - 0.95 I - 1.00 J - 1.14 K - 1.25 L - 1.33 M - 1.50 N - 1.52 O - 1.71 P - 1.75 Q - 1.90 R - 2.00 S - 2.09 T - 2.25 U - 2.28 X - 2.50 Y - 2.75 Z - 3.00	C - Compressed N - Neutral E - Expanded	155	P - Painted Couplings and Uncoated Pipe Sections	E - EPDM T - Nitrile O - Fluoroelastomer L - Silicone F - MWS EPDM G - MWS Nitrile	Z - Plated X - Stainless Steel

Style 155 Expansion Joint Configurator
Galvanized Couplings and Galvanized Carbon Steel Pipe Sections
(40% Reduced Maximum Linear Movement)

C A A N 155 G E Z

Class	Size in/mm	Movement	Length	Style	Finish	Gasket	Bolts and Nuts
C	A - ¾/20	A - 0.11	C - Compressed N - Neutral E - Expanded	155	G - Galvanized Couplings and Galvanized Pipe Sections	E - EPDM T - Nitrile O - Fluoroelastomer L - Silicone F - MWS EPDM G - MWS Nitrile	Z - Plated X - Stainless Steel
	B - 1/25	B - 0.15					
	C - 1¼/32	C - 0.23					
	D - 1½/40	D - 0.30					
	E - 2/50	E - 0.34					
	F - 2½/65	F - 0.45					
	G - 76.1 mm	G - 0.46					
	H - 3/80	H - 0.57					
	I - 3½/90	I - 0.60					
	J - 4/100	J - 0.68					
	K - 5/125	K - 0.75					
	L - 139.7 mm	L - 0.80					
	M - 6/150	M - 0.90					
	N - 165.1 mm	N - 0.91					
	O - 8/200	O - 1.03					
	P - 10/250	P - 1.05					
	Q - 12/300	Q - 1.14					
		R - 1.20					
		S - 1.25					
		T - 1.35					
	U - 1.37						
	X - 1.50						
	Y - 1.65						
	Z - 1.80						

**Style 155 Expansion Joint Configurator
Galvanized Couplings or Galvanized Carbon Steel Pipe Sections
(20% Reduced Maximum Linear Movement)**

C A A N 155 1 E Z

Class	Size in/mm	Movement	Length	Style	Finish	Gasket	Bolts and Nuts
C	A - ¾/20	A - 0.15	C - Compressed	155	1 - Galvanized Couplings	E - EPDM	Z - Plated
	B - 1/25	B - 0.20	N - Neutral		2 - Galvanized Pipe Sections	T - Nitrile	X - Stainless Steel
	C - 1¼/32	C - 0.30	E - Expanded			O - Fluoroelastomer	
	D - 1½/40	D - 0.40				L - Silicone	
	E - 2/50	E - 0.46				F - MWS EPDM	
	F - 2½/65	F - 0.60				G - MWS Nitrile	
	G - 76.1 mm	G - 0.61					
	H - 3/80	H - 0.76					
	I - 3½/90	I - 0.80					
	J - 4/100	J - 0.91					
	K - 5/125	K - 1.00					
	L - 139.7 mm	L - 1.06					
	M - 6/150	M - 1.20					
	N - 165.1 mm	N - 1.22					
	O - 8/200	O - 1.37					
	P - 10/250	P - 1.40					
	Q - 12/300	Q - 1.52					
		R - 1.60					
		S - 1.67					
		T - 1.80					
		U - 1.82					
		X - 2.00					
		Y - 2.20					
		Z - 2.40					

TERMS AND CONDITIONS OF SALE

Victaulic published Terms and Conditions of Sale listed in General Price List will apply. Prices, Designs and Conditions of Sale are subject to change without notice.

P.O. Box 31, Easton, PA 18044-0031 • 4901 Kesslersville Road, Easton, PA 18040 • 1-800-PICK-VIC (1-800-742-5842) • 1-610-250-8817 (fax) • pickvic@victaulic.com