

Price List Addendum

EFFECTIVE May 1, 2020

PGS-300 Expansion Joint

STYLE 355

Refer to publication 33.05



STYLE 355 – PGS-300 EXPANSION JOINT

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Coated* Carbon Steel Bolts & Nuts		COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Stainless Steel Bolts & Nuts	
		Compressed	Neutral	Expanded		Price Each			Price Each		Price Each	
		inches				lb	"EHP" Painted	"O" Painted	"EHP" or "O" Galv.	Painted	Galv.	Painted
2	0.35	9.17 ± 0.07	9.41 ± 0.08	9.69 ± 0.06	3.5	\$2108.00	+	+	+	+	+	+
	0.75	12.34 ± 0.12	12.83 ± 0.14	13.37 ± 0.11	6.6	2212.50	+	+	+	+	+	+
	1.15	15.51 ± 0.17	16.24 ± 0.21	17.06 ± 0.15	9.6	2317.00	+	+	+	+	+	+
	1.55	18.68 ± 0.22	19.66 ± 0.27	20.75 ± 0.19	12.7	2421.50	+	+	+	+	+	+
	1.95	21.86 ± 0.28	23.07 ± 0.33	24.44 ± 0.24	15.7	2525.00	+	+	+	+	+	+
	2.35	25.03 ± 0.33	26.48 ± 0.39	28.12 ± 0.28	18.8	2629.50	+	+	+	+	+	+
	2.75	28.20 ± 0.38	29.90 ± 0.45	31.81 ± 0.32	21.8	2734.00	+	+	+	+	+	+
	3.15	31.37 ± 0.43	33.31 ± 0.52	35.50 ± 0.36	24.9	2838.00	+	+	+	+	+	+
	3.55	34.54 ± 0.48	36.73 ± 0.58	39.18 ± 0.41	28.0	2943.50	+	+	+	+	+	+
	3.95	37.71 ± 0.53	40.14 ± 0.64	42.87 ± 0.45	31.0	3047.00	+	+	+	+	+	+
	4.35	40.88 ± 0.58	43.55 ± 0.70	46.56 ± 0.49	34.1	3150.50	+	+	+	+	+	+
4.75	44.05 ± 0.63	46.97 ± 0.76	50.24 ± 0.54	37.1	3256.00	+	+	+	+	+	+	
2½	0.35	9.17 ± 0.07	9.38 ± 0.08	9.62 ± 0.06	4.2	2160.00	+	+	+	+	+	+
	0.75	12.34 ± 0.12	12.76 ± 0.14	13.23 ± 0.11	7.6	2277.00	+	+	+	+	+	+
	1.15	15.51 ± 0.17	16.14 ± 0.21	16.85 ± 0.15	11.0	2394.00	+	+	+	+	+	+
	1.55	18.68 ± 0.22	19.52 ± 0.27	20.47 ± 0.19	14.4	2512.00	+	+	+	+	+	+
	1.95	21.86 ± 0.28	22.90 ± 0.33	24.09 ± 0.24	17.8	2628.50	+	+	+	+	+	+
	2.35	25.03 ± 0.33	26.27 ± 0.39	27.70 ± 0.28	21.2	2745.50	+	+	+	+	+	+
	2.75	28.20 ± 0.38	29.65 ± 0.45	31.32 ± 0.32	24.7	2862.50	+	+	+	+	+	+
	3.15	31.37 ± 0.43	33.03 ± 0.52	34.94 ± 0.36	28.1	2979.50	+	+	+	+	+	+
	3.55	34.54 ± 0.48	36.41 ± 0.58	38.55 ± 0.41	31.5	3096.50	+	+	+	+	+	+
	3.95	37.71 ± 0.53	39.79 ± 0.64	42.17 ± 0.45	34.9	3215.00	+	+	+	+	+	+
	4.35	40.88 ± 0.58	43.17 ± 0.70	45.79 ± 0.49	38.3	3331.00	+	+	+	+	+	+
4.75	44.05 ± 0.63	46.55 ± 0.76	49.40 ± 0.54	41.7	3448.00	+	+	+	+	+	+	
3	0.35	9.17 ± 0.07	9.41 ± 0.08	9.69 ± 0.06	5.3	2221.00	+	+	+	+	+	+
	0.75	12.34 ± 0.12	12.83 ± 0.14	13.37 ± 0.11	9.7	2368.50	+	+	+	+	+	+
	1.15	15.51 ± 0.17	16.24 ± 0.21	17.06 ± 0.15	14.1	2517.50	+	+	+	+	+	+
	1.55	18.68 ± 0.22	19.66 ± 0.27	20.75 ± 0.19	18.4	2665.00	+	+	+	+	+	+
	1.95	21.86 ± 0.28	23.07 ± 0.33	24.44 ± 0.24	22.8	2813.00	+	+	+	+	+	+
	2.35	25.03 ± 0.33	26.48 ± 0.39	28.12 ± 0.28	27.1	2961.50	+	+	+	+	+	+
	2.75	28.20 ± 0.38	29.90 ± 0.45	31.81 ± 0.32	31.5	3109.50	+	+	+	+	+	+
	3.15	31.37 ± 0.43	33.31 ± 0.52	35.50 ± 0.36	35.8	3257.00	+	+	+	+	+	+
	3.55	34.54 ± 0.48	36.73 ± 0.58	39.18 ± 0.41	40.2	3406.00	+	+	+	+	+	+
	3.95	37.71 ± 0.53	40.14 ± 0.64	42.87 ± 0.45	44.6	3553.50	+	+	+	+	+	+
	4.35	40.88 ± 0.58	43.55 ± 0.70	46.56 ± 0.49	48.9	3701.00	+	+	+	+	+	+
4.75	44.05 ± 0.63	46.97 ± 0.76	50.24 ± 0.54	53.3	3847.00	+	+	+	+	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.

Products for CPVC/PVC Pipe

PGS-300 Expansion Joint

STYLE 355

Refer to publication 33.05



STYLE 355 – PGS-300 EXPANSION JOINT

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Coated* Carbon Steel Bolts & Nuts		COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Stainless Steel Bolts & Nuts	
		Compressed	Neutral	Expanded		Price Each			Price Each		Price Each	
		inches				lb	"EHP" Painted	"O" Painted	"EHP" or "O" Galv.	Painted	Galv.	Painted
4	0.35	11.22 ± 0.07	11.46 ± 0.08	11.74 ± 0.06	8.3	\$2508.00	+	+	+	+	+	+
	0.75	14.44 ± 0.12	14.92 ± 0.14	15.47 ± 0.11	14.6	2682.00	+	+	+	+	+	+
	1.15	17.66 ± 0.17	18.39 ± 0.21	19.21 ± 0.15	20.9	2856.00	+	+	+	+	+	+
	1.55	20.88 ± 0.22	21.85 ± 0.27	22.94 ± 0.19	27.2	3030.00	+	+	+	+	+	+
	1.95	24.10 ± 0.28	25.31 ± 0.33	26.68 ± 0.24	33.5	3205.50	+	+	+	+	+	+
	2.35	27.31 ± 0.33	28.77 ± 0.39	30.41 ± 0.28	39.9	3379.50	+	+	+	+	+	+
	2.75	30.53 ± 0.38	32.23 ± 0.45	34.15 ± 0.32	46.2	3553.50	+	+	+	+	+	+
	3.15	33.75 ± 0.43	35.70 ± 0.52	37.88 ± 0.36	52.5	3727.50	+	+	+	+	+	+
	3.55	36.97 ± 0.48	39.16 ± 0.58	41.62 ± 0.41	58.8	3901.50	+	+	+	+	+	+
	3.95	40.19 ± 0.53	42.62 ± 0.64	45.35 ± 0.45	65.2	4075.50	+	+	+	+	+	+
4.35	43.41 ± 0.58	46.08 ± 0.70	49.09 ± 0.49	71.5	4250.00	+	+	+	+	+	+	
4.75	46.63 ± 0.63	49.54 ± 0.76	52.82 ± 0.54	77.8	4425.00	+	+	+	+	+	+	
6	0.35	13.22 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	14.2	3429.00	+	+	+	+	+	+
	0.75	16.45 ± 0.13	16.93 ± 0.14	17.47 ± 0.11	23.8	3680.00	+	+	+	+	+	+
	1.15	19.67 ± 0.19	20.40 ± 0.21	21.21 ± 0.15	33.4	3930.00	+	+	+	+	+	+
	1.55	22.89 ± 0.24	23.86 ± 0.27	24.94 ± 0.19	43.0	4180.00	+	+	+	+	+	+
	1.95	26.12 ± 0.30	27.33 ± 0.33	28.68 ± 0.24	52.6	4431.00	+	+	+	+	+	+
	2.35	29.34 ± 0.35	30.80 ± 0.39	32.41 ± 0.28	62.2	4681.50	+	+	+	+	+	+
	2.75	32.56 ± 0.41	34.26 ± 0.45	36.15 ± 0.32	71.8	4932.50	+	+	+	+	+	+
	3.15	35.78 ± 0.46	37.73 ± 0.52	39.88 ± 0.36	81.4	5182.50	+	+	+	+	+	+
	3.55	39.01 ± 0.52	41.19 ± 0.58	43.62 ± 0.41	91.0	5432.50	+	+	+	+	+	+
	3.95	42.23 ± 0.57	44.66 ± 0.64	47.35 ± 0.45	100.6	5682.50	+	+	+	+	+	+
4.35	45.45 ± 0.62	48.13 ± 0.70	51.09 ± 0.49	110.2	2767.50	+	+	+	+	+	+	
4.75	48.68 ± 0.68	51.59 ± 0.76	54.82 ± 0.54	119.8	6182.50	+	+	+	+	+	+	
8	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	26.4	4166.50	+	+	+	+	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	45.9	4552.50	+	+	+	+	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	65.4	4941.00	+	+	+	+	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	84.9	5326.00	+	+	+	+	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	104.4	5713.00	+	+	+	+	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	123.9	6099.00	+	+	+	+	+	+
	2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	143.4	6485.80	+	+	+	+	+	+
	3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	162.8	6872.50	+	+	+	+	+	+
	3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	182.3	7258.50	+	+	+	+	+	+
	3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	201.8	7646.00	+	+	+	+	+	+
4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	221.3	8033.00	+	+	+	+	+	+	
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	240.8	8418.00	+	+	+	+	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.

Products for CPVC/PVC Pipe

PGS-300 Expansion Joint

STYLE 355

Refer to publication 33.05



STYLE 355 – PGS-300 EXPANSION JOINT

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Carbon Steel Bolts & Nuts			COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Coated* Carbon Steel Bolts & Nuts		COUPLING COMPLETE with Grade "EHP" or "O" Gasket and Stainless Steel Bolts & Nuts	
		Compressed	Neutral	Expanded		Price Each			Price Each		Price Each	
		inches				lb	"EHP" Painted	"O" Painted	"EHP" or "O" Galv.	Painted	Galv.	Painted
10	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	36.0	\$4866.00	+	+	+	+	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	61.7	5497.00	+	+	+	+	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	87.3	6127.50	+	+	+	+	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	113.0	6759.50	+	+	+	+	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	138.7	7391.50	+	+	+	+	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	164.3	8023.50	+	+	+	+	+	+
	2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	190.0	8564.50	+	+	+	+	+	+
	3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	215.7	9285.50	+	+	+	+	+	+
	3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	241.3	9917.00	+	+	+	+	+	+
	3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	267.0	10549.00	+	+	+	+	+	+
4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	292.7	11180.00	+	+	+	+	+	+	
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	318.4	11811.00	+	+	+	+	+	+	
12	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	43.5	5286.00	+	+	+	+	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	72.7	6030.50	+	+	+	+	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	102.0	6775.50	+	+	+	+	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	131.2	7520.50	+	+	+	+	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	160.5	8265.00	+	+	+	+	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	189.7	9010.00	+	+	+	+	+	+
	2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	218.9	9755.00	+	+	+	+	+	+
	3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	248.2	10499.50	+	+	+	+	+	+
	3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	277.4	11244.50	+	+	+	+	+	+
	3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	306.7	11989.50	+	+	+	+	+	+
4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	335.9	12734.00	+	+	+	+	+	+	
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	365.2	13457.00	+	+	+	+	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.

Products for CPVC/PVC Pipe

C E A N 355 P E Z

Class	Size in/DN	Movement	Length	Style	Finish	Gasket	Bolts and Nuts
C	E - 2/50	A - 0.35	C - Compressed N - Neutral E - Expanded	355	P - Painted G - Galvanized	E - EPDM O - Fluoroelastomer	Z - Plated X - Stainless Steel B - Fluoropolymer Coated
	F - 2½	B - 0.75					
	H - 3/80	C - 1.15					
	J - 4/100	D - 1.55					
	M - 6/150	E - 1.95					
	O - 8/200	F - 2.35					
	P - 10/250	G - 2.75					
	Q - 12/300	H - 3.15					
		I - 3.55					
		J - 3.95					
		K - 4.35					
		L - 4.75					

Products for CPVC/PVC Pipe

PGS-300 Expansion Joint for Potable Water Applications



STYLE 355P

Refer to publication 33.05

STYLE 355P – PGS-300 EXPANSION JOINT FOR POTABLE WATER APPLICATIONS

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "P" Gasket and Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Coated* Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Stainless Steel Bolts & Nuts
	inches			Price Each				
					lb	Painted		
2	0.35	9.17 ± 0.07	9.41 ± 0.08	9.69 ± 0.06	3.5	\$2108.00	+	+
	0.75	12.34 ± 0.12	12.83 ± 0.14	13.37 ± 0.11	6.6	2212.50	+	+
	1.15	15.51 ± 0.17	16.24 ± 0.21	17.06 ± 0.15	9.6	2317.00	+	+
	1.55	18.68 ± 0.22	19.66 ± 0.27	20.75 ± 0.19	12.7	2421.50	+	+
	1.95	21.86 ± 0.28	23.07 ± 0.33	24.44 ± 0.24	15.7	2525.00	+	+
	2.35	25.03 ± 0.33	26.48 ± 0.39	28.12 ± 0.28	18.8	2629.50	+	+
	2.75	28.20 ± 0.38	29.90 ± 0.45	31.81 ± 0.32	21.8	2734.00	+	+
	3.15	31.37 ± 0.43	33.31 ± 0.52	35.50 ± 0.36	24.9	2838.00	+	+
	3.55	34.54 ± 0.48	36.73 ± 0.58	39.18 ± 0.41	28.0	2943.50	+	+
	3.95	37.71 ± 0.53	40.14 ± 0.64	42.87 ± 0.45	31.0	3047.00	+	+
2½	0.35	9.17 ± 0.07	9.38 ± 0.08	9.62 ± 0.06	4.2	2160.00	+	+
	0.75	12.34 ± 0.12	12.76 ± 0.14	13.23 ± 0.11	7.6	2277.00	+	+
	1.15	15.51 ± 0.17	16.14 ± 0.21	16.85 ± 0.15	11.0	2394.00	+	+
	1.55	18.68 ± 0.22	19.52 ± 0.27	20.47 ± 0.19	14.4	2512.00	+	+
	1.95	21.86 ± 0.28	22.90 ± 0.33	24.09 ± 0.24	17.8	2628.50	+	+
	2.35	25.03 ± 0.33	26.27 ± 0.39	27.70 ± 0.28	21.2	2745.50	+	+
	2.75	28.20 ± 0.38	29.65 ± 0.45	31.32 ± 0.32	24.7	2862.50	+	+
	3.15	31.37 ± 0.43	33.03 ± 0.52	34.94 ± 0.36	28.1	2979.50	+	+
	3.55	34.54 ± 0.48	36.41 ± 0.58	38.55 ± 0.41	31.5	3096.50	+	+
	3.95	37.71 ± 0.53	39.79 ± 0.64	42.17 ± 0.45	34.9	3215.00	+	+
3	0.35	9.17 ± 0.07	9.41 ± 0.08	9.69 ± 0.06	5.3	2221.00	+	+
	0.75	12.34 ± 0.12	12.83 ± 0.14	13.37 ± 0.11	9.7	2368.50	+	+
	1.15	15.51 ± 0.17	16.24 ± 0.21	17.06 ± 0.15	14.1	2517.50	+	+
	1.55	18.68 ± 0.22	19.66 ± 0.27	20.75 ± 0.19	18.4	2665.00	+	+
	1.95	21.86 ± 0.28	23.07 ± 0.33	24.44 ± 0.24	22.8	2813.00	+	+
	2.35	25.03 ± 0.33	26.48 ± 0.39	28.12 ± 0.28	27.1	2961.50	+	+
	2.75	28.20 ± 0.38	29.90 ± 0.45	31.81 ± 0.32	31.5	3109.50	+	+
	3.15	31.37 ± 0.43	33.31 ± 0.52	35.50 ± 0.36	35.8	3257.00	+	+
	3.55	34.54 ± 0.48	36.73 ± 0.58	39.18 ± 0.41	40.2	3406.00	+	+
	3.95	37.71 ± 0.53	40.14 ± 0.64	42.87 ± 0.45	44.6	3553.50	+	+
4.35	40.88 ± 0.58	43.55 ± 0.70	46.56 ± 0.49	48.9	3701.00	+	+	
4.75	44.05 ± 0.63	46.97 ± 0.76	50.24 ± 0.54	53.3	3847.00	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.

Products for CPVC/PVC Pipe

PGS-300 Expansion Joint for Potable Water Applications



STYLE 355P

Refer to publication 33.05

STYLE 355P – PGS-300 EXPANSION JOINT FOR POTABLE WATER APPLICATIONS

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "P" Gasket and Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Coated* Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Stainless Steel Bolts & Nuts
		Compressed	Neutral	Expanded		Price Each		
inches					lb	Painted		
4	0.35	11.22 ± 0.07	11.46 ± 0.08	11.74 ± 0.06	8.3	\$2508.00	+	+
	0.75	14.44 ± 0.12	14.92 ± 0.14	15.47 ± 0.11	14.6	2682.00	+	+
	1.15	17.66 ± 0.17	18.39 ± 0.21	19.21 ± 0.15	20.9	2856.00	+	+
	1.55	20.88 ± 0.22	21.85 ± 0.27	22.94 ± 0.19	27.2	3030.00	+	+
	1.95	24.10 ± 0.28	25.31 ± 0.33	26.68 ± 0.24	33.5	3205.50	+	+
	2.35	27.31 ± 0.33	28.77 ± 0.39	30.41 ± 0.28	39.9	3379.50	+	+
	2.75	30.53 ± 0.38	32.23 ± 0.45	34.15 ± 0.32	46.2	3553.50	+	+
	3.15	33.75 ± 0.43	35.70 ± 0.52	37.88 ± 0.36	52.5	3727.50	+	+
	3.55	36.97 ± 0.48	39.16 ± 0.58	41.62 ± 0.41	58.8	3901.50	+	+
	3.95	40.19 ± 0.53	42.62 ± 0.64	45.35 ± 0.45	65.2	4075.50	+	+
6	4.35	43.41 ± 0.58	46.08 ± 0.70	49.09 ± 0.49	71.5	4250.00	+	+
	4.75	46.63 ± 0.63	49.54 ± 0.76	52.82 ± 0.54	77.8	4425.00	+	+
	0.35	13.22 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	14.2	3429.00	+	+
	0.75	16.45 ± 0.13	16.93 ± 0.14	17.47 ± 0.11	23.8	3680.00	+	+
	1.15	19.67 ± 0.19	20.40 ± 0.21	21.21 ± 0.15	33.4	3930.00	+	+
	1.55	22.89 ± 0.24	23.86 ± 0.27	24.94 ± 0.19	43.0	4180.00	+	+
	1.95	26.12 ± 0.30	27.33 ± 0.33	28.68 ± 0.24	52.6	4431.00	+	+
	2.35	29.34 ± 0.35	30.80 ± 0.39	32.41 ± 0.28	62.2	4681.50	+	+
	2.75	32.56 ± 0.41	34.26 ± 0.45	36.15 ± 0.32	71.8	4932.50	+	+
	3.15	35.78 ± 0.46	37.73 ± 0.52	39.88 ± 0.36	81.4	5182.50	+	+
8	3.55	39.01 ± 0.52	41.19 ± 0.58	43.62 ± 0.41	91.0	5432.50	+	+
	3.95	42.23 ± 0.57	44.66 ± 0.64	47.35 ± 0.45	100.6	5682.50	+	+
	4.35	45.45 ± 0.62	48.13 ± 0.70	51.09 ± 0.49	110.2	2767.50	+	+
	4.75	48.68 ± 0.68	51.59 ± 0.76	54.82 ± 0.54	119.8	6182.50	+	+
	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	26.4	4166.50	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	45.9	4552.50	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	65.4	4941.00	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	84.9	5326.00	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	104.4	5713.00	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	123.9	6099.00	+	+
2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	143.4	6485.80	+	+	
3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	162.8	6872.50	+	+	
3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	182.3	7258.50	+	+	
3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	201.8	7646.00	+	+	
4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	221.3	8033.00	+	+	
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	240.8	8418.00	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.



Products for CPVC/PVC Pipe

PGS-300 Expansion Joint for Potable Water Applications



STYLE 355P

Refer to publication 33.05

STYLE 355 – PGS-300 EXPANSION JOINT FOR POTABLE WATER APPLICATIONS

Nominal Size	Rated Movement	Length			Approx. Wgt. Ea.	COUPLING COMPLETE with Grade "P" Gasket and Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Coated* Carbon Steel Bolts & Nuts	COUPLING COMPLETE with Grade "P" Gasket and Stainless Steel Bolts & Nuts
		Compressed	Neutral	Expanded		Price Each		
inches					lb	Painted		
10	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	36.0	\$4866.00	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	61.7	5497.00	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	87.3	6127.50	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	113.0	6759.50	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	138.7	7391.50	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	164.3	8023.50	+	+
	2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	190.0	8564.50	+	+
	3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	215.7	9285.50	+	+
	3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	241.3	9917.00	+	+
	3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	267.0	10549.00	+	+
	4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	292.7	11180.00	+	+
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	318.4	11811.00	+	+	
12	0.35	13.23 ± 0.08	13.47 ± 0.08	13.74 ± 0.06	43.5	5286.00	+	+
	0.75	16.46 ± 0.13	16.95 ± 0.14	17.49 ± 0.11	72.7	6030.50	+	+
	1.15	19.69 ± 0.19	20.42 ± 0.21	21.23 ± 0.15	102.0	6775.50	+	+
	1.55	22.92 ± 0.24	23.90 ± 0.27	24.97 ± 0.19	131.2	7520.50	+	+
	1.95	26.16 ± 0.30	27.37 ± 0.33	28.72 ± 0.24	160.5	8265.00	+	+
	2.35	29.39 ± 0.35	30.84 ± 0.39	32.46 ± 0.28	189.7	9010.00	+	+
	2.75	32.62 ± 0.41	34.32 ± 0.45	36.20 ± 0.32	218.9	9755.00	+	+
	3.15	35.85 ± 0.46	37.79 ± 0.52	39.94 ± 0.36	248.2	10499.50	+	+
	3.55	39.08 ± 0.52	41.27 ± 0.58	43.69 ± 0.41	277.4	11244.50	+	+
	3.95	42.31 ± 0.57	44.74 ± 0.64	47.43 ± 0.45	306.7	11989.50	+	+
	4.35	45.54 ± 0.62	48.21 ± 0.70	51.17 ± 0.49	335.9	12734.00	+	+
4.75	48.77 ± 0.68	51.69 ± 0.76	54.92 ± 0.54	365.2	13457.00	+	+	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Fluoropolymer top coat. See 33.05 for more information.

Products for CPVC/PVC Pipe

C E A N 355 H P Z

Class	Size In./DN	Movement	Length	Style	Finish	Gasket	Bolts and Nuts
C	E - 2/50 F - 21/2 H - 3/80 J - 4/100 M - 6/150 O - 8/200 P - 10/250 Q - 12/300	A - 0.35 B - 0.75 C - 1.15 D - 1.55 E - 1.95 F - 2.35 G - 2.75 H - 3.15 I - 3.55 J - 3.95 K - 4.35 L - 4.75	C - Compressed N - Neutral E - Expanded	355P	H - Blue Enamel	P - Fluoroelastomer Blend	Z - Plated X - Stainless Steel B - Fluoropolymer Coated

TERMS AND CONDITIONS OF SALE

Victaulic published Terms and Conditions of Sale listed in General Price List will apply. Prices, Designs and Conditions of Sale are subject to change without notice.

P.O. Box 31, Easton, PA 18044-0031 • 4901 Kesslersville Road, Easton, PA 18040 • 1-800-PICK-VIC (1-800-742-5842) • 1-610-250-8817 (fax) • pickvic@victaulic.com

